reChecker

Technical SEO audit

Website: https://rechecker.ru/
Check date: May 26, 2026, 01:13 MSK

Overall score: 78/100

One page at the specified URL was checked. Before making changes to the website, review critical findings and consider the project context.

Summary

Critical issues	Important issues	Quick wins
0	3	2

Section	Score
SEO	95/100
Performance	55/100
Security	86/100
Accessibility	70/100

HTML validation unconfirmed: The old report mixed HTML errors with code formatting and recommendations. The saved messages or their context are insufficient for an accurate recalculation. Repeat the HTML check: the number of errors and the score are not yet confirmed.

Go to section

Fix plan Key facts Security SEO Performance Technologies Accessibility Russian laws and public documents

Priority action plan

1. [Important] Multiple canonical tags

Section: SEO **Impact:** high **Effort:** low

Why it matters: Canonical declares a preferred URL among similar pages. The check recorded 2 canonical tags. Multiple declarations can give conflicting preferred-URL signals.

What to do: Multiple canonical tags
Check where the template and SEO module add the tag. Keep one consistent declaration and inspect the HTML source after clearing its cache.

2. [Important] Slow server response — 4163 ms

Section: Performance **Impact:** high **Effort:** high

Why it matters: TTFB measures how long a visitor waits for the first response data when opening a page. A long wait delays page loading.

What to do: Ask a developer to check the server, database queries and hosting performance, and configure caching if needed. Caching stores generated data so it can be reused for later requests.

3. [Important] Review protective HTTP headers

Section: Security **Impact:** medium **Effort:** medium

Why it matters: Not set: Cross-Origin-Opener-Policy, Cross-Origin-Resource-Policy, Cross-Origin-Embedder-Policy. This is a security recommendation, not a critical SEO error. Protective headers help limit content and framing attacks; their absence alone does not establish a vulnerability and does not directly affect rankings. Configure and test them for your project: blindly applying settings can break scripts, widgets or subdomains.

What to do: This is a security recommendation, not a critical SEO error. Protective headers help limit content and framing attacks; their absence alone does not establish a vulnerability and does not directly affect rankings. Configure and test them for your project: blindly applying settings can break scripts, widgets or subdomains. Start CSP in Report-Only mode; verify HTTPS and all affected subdomains before extending HSTS.

4. [Quick improvement] Review cookie settings (1)

Section: Security **Impact:** medium **Effort:** low

Why it matters: preferred_locale: The recorded cookie lacks these settings: Secure, HttpOnly. Review its purpose; this alone does not prove a vulnerability or a legal violation.

What to do: preferred_locale
First identify whether this cookie represents a user session, an interface preference or analytics. Its purpose determines the appropriate restrictions.
For a cookie that must travel only over HTTPS, configure Secure and verify that it is sent correctly afterwards.
For a session cookie, enable HttpOnly if JavaScript does not need to read it. If scripts require its value, test the feature before applying that restriction.

5. [Quick improvement] Using GZIP but no Brotli

Section: Performance **Impact:** low **Effort:** low

Why it matters: Brotli compresses 15–25% better than GZIP — supported by all modern browsers.

What to do: Nginx (1.11.6+): brotli on; brotli_types text/plain text/css application/javascript application/json;
Cloudflare enables Brotli automatically.

Key facts

Check	Result
Title	reChecker.ru | 144 инструмента для SEO, AI и анализа сайтов
Meta description	Технический SEO-аудит, uptime-мониторинг и еженедельные SEO-отчеты. 144 инструмента для SEO-специалистов, владельцев сайтов и веб-разработчиков.
CMS	Bitrix
SSL is valid	Yes
Final HTTP	200
TTFB, ms	4163
Sitemap.xml found	Yes

Check	Result
Robots.txt found	Yes
Canonical	https://rechecker.ru/
HTTP/2 confirmed	Yes
Compression	gzip
LCP	Not saved

Detailed check results

Identical entries are grouped, with the number of occurrences preserved. Recommendations already included in the results are not repeated.

Security

SSL and server information

Check complete

Saved certificate and server response details from the time of the check.

Certificate is valid	Yes
Issuer	E8
Domain on certificate	rechecker.ru
Validity period	2026-08-07T17:34:42.000Z
Days until expiration at the time of the check	73
Protocol	TLSv1.3
Key length, bits	256
Web server	Unknown
X-Powered-By	Next.js
Time to first byte, ms	4163
HTTP — primary check field	1.1
Time to first byte, s (pageSpeed)	4.163
Cache-Control	Yes
ETag	No
Expires	No

> HTTP in the primary check is a saved indicator, not confirmation that the protocol is consistent. A separate connection in the “HTTP/2” check may confirm support, even if 1.1 is saved here.

Redirects

Check complete

Sequence of URLs and HTTP responses when opening the page.

Full redirect chain

URL	Saved information
URL: https://rechecker.ru/	**HTTP:** 200 · **Message:** OK · **Next address:** Not determined

Security headers

Check complete

This is a security recommendation, not a critical SEO error. Security headers help limit attacks through content and page embedding; their absence alone doesn't confirm a vulnerability or directly affect rankings. Configure them for your project and test them: adding settings without checking can break scripts, widgets, or subdomains.

Security improvement score	73
Level	B
Score explanation	This is a security recommendation, not a critical SEO error. Security headers help limit attacks through content and page embedding; their absence alone doesn't confirm a vulnerability or directly affect rankings. Configure them for your project and test them: adding settings without checking can break scripts, widgets, or subdomains.

All security headers checked

Name and value	Score and recommendation
Title: Strict-Transport-Security · **Value:** max-age=63072000; includeSubDomains; preload	**Status:** Configured · **Significance:** Average · **Purpose:** Force HTTPS · **Recommendation:** Not determined
Title: Content-Security-Policy · **Value:** default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval' https://yastatic.net https://mc.yandex.ru https://mc.yandex.com https://yandex.ru https://telegram.org https://t.me; style-src 'self' 'unsafe-inline' https://yastatic.net https://cdnjs.cloudflare.com; img-src 'self' data: https: blob:; font-src 'self' data: https://yastatic.net; connect-src 'self' https: wss: https://telegram.org https://t.me; media-src 'self' blob:; worker-src 'self' blob:; frame-src 'self' https://yastatic.net https://mc.yandex.ru https://mc.yandex.com https://telegram.org https://t.me; object-src 'none'; base-uri 'self'; form-action 'self'	**Status:** Check the value · **Significance:** Average · **Purpose:** Content Security Policy (CSP) · **Recommendation:** Check whether unsafe-inline and unsafe-eval are necessary. Choose nonces, hashes, and allowed sources based on your project's scripts; test changes before enabling them.
Title: X-Frame-Options · **Value:** SAMEORIGIN	**Status:** Configured · **Significance:** Average · **Purpose:** Protection against clickjacking attacks · **Recommendation:** Not determined
Title: X-Content-Type-Options · **Value:** nosniff	**Status:** Configured · **Significance:** Average · **Purpose:** MIME sniffing prevention · **Recommendation:** Not determined

Name and value	Score and recommendation
Title: Referrer-Policy · **Value:** strict-origin-when-cross-origin	**Status:** Configured · **Significance:** Average · **Purpose:** Referer transfer monitoring · **Recommendation:** Not determined
Title: Permissions-Policy · **Value:** camera=(), microphone=(), geolocation=()	**Status:** Configured · **Significance:** Average · **Purpose:** Browser API access monitoring · **Recommendation:** Not determined
Title: Cross-Origin-Opener-Policy · **Value:** Not determined	**Status:** Not provided · **Significance:** Low · **Purpose:** Browser window isolation · **Recommendation:** Assess whether COOP is needed and check compatibility with sign-in through third-party windows and with payments.
Title: Cross-Origin-Resource-Policy · **Value:** Not determined	**Status:** Not provided · **Significance:** Low · **Purpose:** Cross-origin resource protection · **Recommendation:** Identify which sites should be able to load your resources before setting CORP.
Title: Cross-Origin-Embedder-Policy · **Value:** Not determined	**Status:** Not provided · **Significance:** Low · **Purpose:** External resource embedding monitoring · **Recommendation:** Not every project needs COEP. Check that all external resources support the policy before enabling it.

Security headers

Content-Security-Policy

The check flagged its value for review. A missing header alone does not confirm a vulnerability or an SEO problem. Choose policies for the pages, resources and integrations your site uses; test changes before enabling them in production.

What to keep in mind

1. List the scripts, styles, images, frames and connections the page needs. Test the policy with Content-Security-Policy-Report-Only and review violations before enforcing it. A restrictive policy can block payments, analytics and other resources.

Cross-Origin-Opener-Policy

The check did not find this header. A missing header alone does not confirm a vulnerability or an SEO problem. Choose policies for the pages, resources and integrations your site uses; test changes before enabling them in production.

What to keep in mind

1. Use window isolation when the application needs it. Test sign-in and payment popups first: strict isolation can break communication with windows on another origin.

Cross-Origin-Resource-Policy

The check did not find this header. A missing header alone does not confirm a vulnerability or an SEO problem. Choose policies for the pages, resources and integrations your site uses; test changes before enabling them in production.

What to keep in mind

1. Decide which sites may load this resource. A same-origin restriction can block images, fonts or other files used by your subdomains and external integrations.

Cross-Origin-Embedder-Policy

The check did not find this header. A missing header alone does not confirm a vulnerability or an SEO problem. Choose policies for the pages, resources and integrations your site uses; test changes before enabling them in production.

What to keep in mind

1. Enable cross-origin isolation only when required by the application. Check CORS/CORP support for external resources first; require-corp can block resources that do not grant permission.

Security checks

Check complete

Saved security check indicators and explanations.

Score	90

All security checks

Check	Saved information
Check: File: Git Configuration	**Status:** Passed · **Message:** File /.git/config not found (safe) · **Explanation:** Not determined
Check: File: Environment File	**Status:** Passed · **Message:** File /.env not found (safe) · **Explanation:** Not determined
Check: File: Composer Configuration	**Status:** Passed · **Message:** File /composer.json not found (safe) · **Explanation:** Not determined
Check: File: Node.js Configuration	**Status:** Passed · **Message:** File /package.json not found (safe) · **Explanation:** Not determined
Check: File: PHP Info Page	**Status:** Passed · **Message:** File /phpinfo.php not found (safe) · **Explanation:** Not determined
Check: Server header	**Status:** Needs attention · **Message:** The server reveals its version: nginx/1.24.0 (Ubuntu) · **Explanation:** We recommend hiding the server version to protect against targeted attacks.

Security check findings

Server version in the HTTP response

The response exposes the exact web-server version. This identifies software in use but does not by itself prove a vulnerability. The automated check flagged this observation. It does not confirm exploitation or a complete site vulnerability; review the observation against the actual configuration.

What to keep in mind

1. Ask the administrator to disable exact version disclosure in the Server header if your tools do not need it. Use the setting for the server actually serving the website.
2. Check the response header and site behavior afterwards. Hiding a version does not replace updating and maintaining the server.
3. Confirm the cause in an authorized test environment, change only the related setting and repeat the check. This report does not replace a separate security assessment.

CORS

Check complete

Headers that control access to server responses from other sites.

CORS is configured	Yes
All domains are allowed	No
Credentials are allowed	No
Access-Control-Allow-Origin	Not determined
Access-Control-Allow-Methods	Not determined
Access-Control-Allow-Headers	Not determined

Cookie

Check complete

Security flags, purpose, and retention period; cookie values are not published.

Total cookies	1
With Secure	0
With HttpOnly	0
Score	85
No SameSite	0
Tracking	0
Session-based	0

All saved cookies — without values

Cookies and purpose	Security settings
Name: preferred_locale · **Purpose:** Functional	**Secure:** No · **HttpOnly:** No · **SameSite:** lax · **Path /** **Domain:** / · **Expiration / Max-Age:** Tue, 25 May 2027 22:13:28 GMT / Max-Age 31536000 · **Findings:** Secure flag is missing, HttpOnly flag is missing

Cookie security settings

preferred_locale

The recorded cookie lacks these settings: Secure, HttpOnly. Review its purpose; this alone does not prove a vulnerability or a legal violation.

What to keep in mind

1. First identify whether this cookie represents a user session, an interface preference or analytics. Its purpose determines the appropriate restrictions.
2. For a cookie that must travel only over HTTPS, configure Secure and verify that it is sent correctly afterwards.
3. For a session cookie, enable HttpOnly if JavaScript does not need to read it. If scripts require its value, test the feature before applying that restriction.

Check	Result and coverage
Server behavior and URL normalization	No saved data

SEO

Sitemap.xml

Check complete

A sitemap helps discover URLs; its presence does not confirm indexing.

Found	Yes
Map URL	https://rechecker.ru/sitemap.xml
Sitemap index	No
Maps in index	0
URLs in the file	495

Last change	2026-03-07

Robots.txt

Check complete

These rules control crawling. Meta robots directives and HTTP headers may also apply.

Found	Yes
File URL	https://rechecker.ru/robots.txt
Site-wide crawl restriction	No
Crawling allowed	Yes
Crawl-delay, seconds	Not determined
Disallow rules	/admin/, /admin, /debug/, /test, /api/, /auth/logout, /profile, /notifications, /_next/, /static/
Sitemap URLs in the check summary	The list is not filled in in the summary
Full Sitemap URLs from the saved robots.txt text	https://rechecker.ru/sitemap.xml, https://rechecker.ru/tech-sitemap.xml, https://rechecker.ru/guide-sitemap.xml
Saved robots.txt	# https://rechecker.ru robots.txt User-agent: * Allow: / # Исключаем служебные страницы Disallow: /admin/ Disallow: /admin Disallow: /debug/ Disallow: /test Disallow: /api/ Disallow: /auth/logout Disallow: /profile Disallow: /notifications # Исключаем внутренние ресурсы Disallow: /_next/ Disallow: /static/ # Карта сайта Sitemap: https://rechecker.ru/sitemap.xml Sitemap: https://rechecker.ru/tech-sitemap.xml Sitemap: https://rechecker.ru/guide-sitemap.xml Sitemap: https...

> The saved robots.txt text is truncated. Only complete Sitemap URLs from this excerpt are listed; the full list and map availability are not confirmed.

Page meta tags

Check complete

Saved metadata values for the checked page.

Title	reChecker.ru | 144 инструмента для SEO, AI и анализа сайтов

Meta description	Технический SEO-аудит, uptime-мониторинг и еженедельные SEO-отчеты. 144 инструмента для SEO-специалистов, владельцев сайтов и веб-разработчиков.
Meta keywords	анализ сайта онлайн, SEO аудит сайта бесплатно, проверка сайта на ошибки, бесплатные SEO инструменты, проверка мета тегов, технический аудит сайта, AI инструменты для SEO, онлайн инструменты для вебмастера, проверка редиректов, проверка SSL
Meta robots	index, follow
Canonical	https://rechecker.ru
Title length, characters	59
Description length, characters	144

meta keywords tag

Optional keyword list

Meta keywords is a list of words in the page code. Google does not use this tag for indexing or ranking; a missing tag does not need fixing.

What to keep in mind

1. There is no need to add keywords for Google. Keep the field if an internal site system uses it; focus on useful page content and a clear title.

Open Graph and Twitter Cards

Check complete

Metadata for social media link previews.

Overall score	95
Open Graph — rating	100
Open Graph — title	reChecker.ru | 144 инструмента для SEO, AI и анализа сайтов
Open Graph — description	Технический SEO-аудит, uptime-мониторинг и еженедельные SEO-отчеты. 144 инструмента для SEO-специалистов, владельцев сайтов и веб-разработчиков.
Open Graph — image URL	https://rechecker.ru/og-image.jpg
Open Graph — URL	https://rechecker.ru/
Open Graph — site name	reChecker.ru
Open Graph — type	website
Twitter Cards — rating	89
Twitter Cards — title	reChecker.ru | 144 инструмента для SEO, AI и анализа сайтов
Twitter Cards — description	Технический SEO-аудит, uptime-мониторинг и еженедельные SEO-отчеты. 144 инструмента для SEO-специалистов, владельцев сайтов и веб-разработчиков.
Twitter Cards — image URL	https://rechecker.ru/og-image.jpg
Twitter Cards — card type	summary_large_image
Twitter Cards — site account	Not determined
Twitter Cards — author	@dobryninoleg
Page title	reChecker.ru | 144 инструмента для SEO, AI и анализа сайтов

Description	Технический SEO-аудит, uptime-мониторинг и еженедельные SEO-отчеты. 144 инструмента для SEO-специалистов, владельцев сайтов и веб-разработчиков.
Favicon	https://rechecker.ru/favicon.ico
Canonical	https://rechecker.ru/

Open Graph — all tags

Tag	Saved information
Tag: og:title	**Value:** reChecker.ru | 144 инструмента для SEO, AI и анализа сайтов · **Status:** Has · **Significance:** Required for the card · **Explanation:** Social media title
Tag: og:description	**Value:** Технический SEO-аудит, uptime-мониторинг и еженедельные SEO-отчеты. 144 инструмента для SEO-специалистов, владельцев сайтов и веб-разработчиков. · **Status:** Has · **Significance:** Required for the card · **Explanation:** Social media description
Tag: og:image	**Value:** https://rechecker.ru/og-image.jpg · **Status:** Has · **Significance:** Required for the card · **Explanation:** Preview image
Tag: og:url	**Value:** https://rechecker.ru · **Status:** Has · **Significance:** Required for the card · **Explanation:** Canonical URL
Tag: og:type	**Value:** website · **Status:** Has · **Significance:** Recommended for the listing · **Explanation:** Content type
Tag: og:site_name	**Value:** reChecker.ru · **Status:** Has · **Significance:** Recommended for the listing · **Explanation:** Website name

Twitter Cards — all tags

Tag	Saved information
Tag: twitter:card	**Value:** summary_large_image · **Status:** Has · **Significance:** Required for the card · **Explanation:** Twitter card type
Tag: twitter:title	**Value:** reChecker.ru | 144 инструмента для SEO, AI и анализа сайтов · **Status:** Has · **Significance:** Required for the card · **Explanation:** Twitter title
Tag: twitter:description	**Value:** Технический SEO-аудит, uptime-мониторинг и еженедельные SEO-отчеты. 144 инструмента для SEO-специалистов, владельцев сайтов и веб-разработчиков. · **Status:** Has · **Significance:** Required for the card · **Explanation:** Twitter description
Tag: twitter:image	**Value:** https://rechecker.ru/og-image.jpg · **Status:** Has · **Significance:** Required for the card · **Explanation:** Image for Twitter
Tag: twitter:site	**Value:** Not determined · **Status:** Not found · **Significance:** Recommended for the listing · **Explanation:** Website's Twitter account

Link cards

Review twitter:site

The twitter:site tag links content to the site or author account on X. It is optional: not having an account does not establish a page defect.

What to keep in mind

1. If the site has a real X account, use its @username. If there is no such account, omit this optional tag; do not invent an account or substitute the page URL.

Canonical

Check complete

Preferred page URL in HTML and the HTTP header.

Canonical in HTML	https://rechecker.ru/
Validation passed	No

> Canonical tags found: 2

Preferred page URL

Multiple canonical tags

Canonical declares a preferred URL among similar pages. The check recorded 2 canonical tags. Multiple declarations can give conflicting preferred-URL signals.

How to fix

1. Check where the template and SEO module add the tag. Keep one consistent declaration and inspect the HTML source after clearing its cache.

Language versions — hreflang

Check complete

Links between language versions, the default version, and the link to the current page.

Default version x-default	Yes
Link to the current page	Yes
Score	100

All language versions

hreflang code	Saved information
hreflang code: ru-RU **Occurrences: 2**	**Language:** ru · **Region:** RU · **URL:** https://rechecker.ru/
hreflang code: en-US **Occurrences: 2**	**Language:** en · **Region:** US · **URL:** https://rechecker.ru/en
hreflang code: x-default	**Language:** x · **Region:** default · **URL:** https://rechecker.ru/

Links

Check complete

Detected URLs and availability check results; an unknown response is not considered a broken link.

Links detected	0
Available	0
Confirmed unavailable	0
Availability not confirmed	0
With a redirect	0
Internal	0

External	0
Score	100

Content and headings

Check complete

Text volume and structure. Word count and text ratio alone don't prove SEO quality.

Words	1073
Characters	9435
Suggestions	98
Paragraphs	83
Average words per sentence	11
Text-to-HTML ratio, %	6
Reading time, minutes	6
Score	90

Heading structure

Level	Saved value
h1	1
h2	15
h3	46
h4	0
h5	0
h6	0

All saved frequent words

Word	Repetitions	Share, %
мониторинг	13	1.21
rechecker	13	1.21
без	12	1.12
ssl	10	0.93
сайт	10	0.93
сайта	9	0.84
мета-теги	8	0.75
проверка	7	0.65
редиректы	6	0.56
monitor	6	0.56

Structured data — Schema.org

Check complete

Markup types, properties found, and notes about saved blocks.

Markup found	Yes
Overall score	100
Block 1 — properties	name, url, logo, description, sameAs
Block 2 — properties	name, url, description, potentialAction
Block 3 — properties	mainEntity

> Block 1: Organization · JSON-LD

> Block 2: WebSite · JSON-LD

> Block 3: FAQPage · JSON-LD

Keywords

Check complete

Word frequency in the saved page text.

Total words	1317
Unique words	689
Score	100

All saved keywords

Word	Occurrences	Text share, %
мониторинг	13	0.99
rechecker	13	0.99
без	12	0.91
ssl	10	0.76
сайт	10	0.76
сайта	9	0.68
мета-теги	8	0.61
проверка	7	0.53
редиректы	6	0.46
monitor	6	0.46
если	6	0.46
регистрации	6	0.46
144	5	0.38
инструмента	5	0.38
ошибки	5	0.38

Word	Occurrences	Text share, %
uptime	5	0.38
seo	5	0.38
чтобы	5	0.38
robots	5	0.38
изображения	5	0.38

Words in page text

Words describe the current text

Word frequency describes the text; it does not establish search demand, rankings or the right target queries.

What to keep in mind

1. Compare prominent words with the page topic and reader questions. Do not change clear, relevant text merely to alter a frequency list.

Performance

Core Web Vitals

Check complete

Load, response, and stability measurements. Compare results using the same device and conditions.

Saved metrics

Metric	Value	Score
TTFB	4163 ms	Not determined

Page speed and stability

TTFB

TTFB is the wait from starting navigation to the first data from the site. A long wait delays the page load.

How to fix

1. Ask the developer to check server processing, database queries and hosting response time. Where appropriate, cache reusable responses to avoid generating the same data on every request.

Images

Check complete

File availability, alt text, size, format, and upload settings.

Optimization score 100

Images

The check did not return enough data to assess this result. This does not confirm a website problem.

How to get the result

1. Open the checked address and confirm it is accessible. Repeat the check; if it fails again, review access restrictions and the reported reason.

CSS and JavaScript resources

Check complete

Resource inventory and measurements of size and minification.

CSS and JS files	13
CSS size, bytes	201427
JavaScript size, bytes	1234976
Minified	11
External resources	5

> The total JS file size exceeds 1MB

> 2 files are not minified

CSS

File address and name	Saved parameters
URL: https://rechecker.ru/_next/static/css/9fff888fd019bad0.css · **Name:** Not determined	**Size, bytes:** 197408 · **Minified:** Yes · **External:** No
URL: https://rechecker.ru/_next/static/css/30c18ccd8e97039f.css · **Name:** Not determined	**Size, bytes:** 2230 · **Minified:** Yes · **External:** No
URL: https://cdnjs.cloudflare.com/ajax/libs/prism/1.24.1/themes/prism.min.css · **Name:** Not determined	**Size, bytes:** 1789 · **Minified:** Yes · **External:** Yes

JavaScript

File address and name	Saved parameters
URL: https://mc.yandex.ru/metrika/tag.js · **Name:** Not determined	**Size, bytes:** 266402 · **Minified:** No · **External:** Yes
URL: https://rechecker.ru/_next/static/chunks/fd9d1056-60710c27f18a92e7.js · **Name:** Not determined	**Size, bytes:** 172834 · **Minified:** Yes · **External:** No
URL: https://rechecker.ru/_next/static/chunks/2117-f09cada74269165e.js · **Name:** Not determined	**Size, bytes:** 123886 · **Minified:** Yes · **External:** No
URL: https://rechecker.ru/_next/static/chunks/main-app-a8c85cde50a49fd4.js · **Name:** Not determined	**Size, bytes:** 471 · **Minified:** Yes · **External:** No
URL: https://rechecker.ru/_next/static/chunks/9920-9f7a34e677e0cf1f.js · **Name:** Not determined	**Size, bytes:** 14343 · **Minified:** Yes · **External:** No
URL: https://yandex.ru/ads/system/context.js · **Name:** Not determined	**Size, bytes:** 389380 · **Minified:** Yes · **External:** Yes
URL: https://rechecker.ru/_next/static/chunks/polyfills-42372ed130431b0a.js · **Name:** Not determined	**Size, bytes:** 112594 · **Minified:** Yes · **External:** No
URL: https://yastatic.net/safeframe-bundles/0.83/host.js · **Name:** Not determined	**Size, bytes:** 33703 · **Minified:** Yes · **External:** Yes
URL: https://rechecker.ru/_next/static/chunks/webpack-5d6ec3725f2da4f8.js · **Name:** Not determined	**Size, bytes:** 5022 · **Minified:** Yes · **External:** No
URL: https://telegram.org/js/telegram-web-app.js · **Name:** Not determined	**Size, bytes:** 116341 · **Minified:** No · **External:** Yes

CSS and JavaScript files

CSS and JavaScript size

Some checked files contain formatting that can be removed from the production version.

How to fix

1. All identified unminified files are external. Check whether these services are needed and whether the provider offers an optimized version; their contents are controlled by the provider.

Large resources

The details list large CSS or JavaScript files. Size alone does not show whether the file is unnecessary.

How to fix

1. Check which parts of the listed files this page uses. Remove unused code or split it so that the first screen loads only what it needs.

Response compression

Check complete

Size of the HTML sent and the server's compression method.

Content-Encoding	gzip
GZIP	Yes
Brotli	No
Deflate	No
Size before compression, bytes	184031
Size after compression, bytes	33770
Size reduction, %	82
Data savings	146.74 KB
Score	70

Recommendations

- Consider adding Brotli compression — it is 15-25% more efficient than GZIP

HTTP/2

Check complete

Connection protocol negotiation result.

Protocol	h2
HTTP/2 confirmed	Yes
Score	100

Technologies

CMS

Check complete

Automatically detected signs of a content management system.

CMS	Bitrix
Detection confidence, %	100
Category	CMS

Additional CMS detections

Name	Version	Confidence, %
WordPress	Not determined	80
Bitrix	Not determined	100
Next.js	Not determined	100
Webpack	Not determined	90
WebServer	Not determined	100
NodeJS	Not determined	90
React	Not determined	90
YandexMetrika	Not determined	100
Cloudflare	Not determined	100
Charset	Not determined	100

Content management system

A CMS manages website content. Automated detection relies on HTML and response clues and can be inaccurate, especially when several systems are combined.

What to keep in mind

1. Confirm the detected system in the administration panel or with the developer. Use this information to choose relevant instructions and updates.
2. A hidden or undetected version is not evidence of a vulnerability. Check the installed version in the system before assessing updates.

Domain and DNS

Check complete

Domain, hosting, and DNS details saved during the check.

Domain	rechecker.ru
Country	Russia
Hosting / provider	LLC Skynet
Domain age, days	394
Registrar	BEGET-RU
Registration valid until	2027-04-26T00:55:06Z
SSL is valid	Yes
SSL issuer	E8
SSL expiration	2026-08-07T17:34:42.000Z

Domain and DNS

DNS connects the domain name to the website server and other services. NS identifies name servers, MX relates to email, and TXT carries text settings and verification records. Only saved evidence is shown.

What to keep in mind

1. Compare IP and NS records with the hosting configuration. If email is configured, compare MX and TXT with the email provider’s instructions.

2. Check registration and renewal in the registrar account: an old report does not establish the domain's current state.

Technologies detected

Check complete

Technologies, versions, and confidence level of automatic detection.

All technologies detected

Name	Saved information
Name: WordPress	**Category:** CMS · **Version:** Not determined · **Confidence, %:** 80
Name: Bitrix	**Category:** CMS · **Version:** Not determined · **Confidence, %:** 100
Name: WebServer	**Category:** Web Server · **Version:** Not determined · **Confidence, %:** 100
Name: Cloudflare	**Category:** CDN · **Version:** Not determined · **Confidence, %:** 100
Name: YandexMetrika	**Category:** Analytics · **Version:** Not determined · **Confidence, %:** 100
Name: NodeJS	**Category:** Programming Language · **Version:** Not determined · **Confidence, %:** 90
Name: Webpack	**Category:** Build Tool · **Version:** Not determined · **Confidence, %:** 90
Name: Charset	**Category:** Encoding · **Version:** Not determined · **Confidence, %:** 100
Name: Next.js	**Category:** JavaScript Framework · **Version:** Not determined · **Confidence, %:** 100
Name: React	**Category:** JavaScript Framework · **Version:** Not determined · **Confidence, %:** 90

Frameworks

Frameworks help developers build pages and website behavior. Their names describe implementation tools rather than the website's quality or security.

What to keep in mind

1. Before making changes, confirm versions and dependencies from the project files rather than HTML clues alone.
2. If a version is hidden or undetected, ask the developer to confirm it. This alone does not establish a vulnerability.

Libraries

Libraries are reusable code used for individual website functions. The check sees public clues and may not identify every library or version.

What to keep in mind

1. Compare the list with the project dependencies before updating or removing a library.
2. An unknown version does not establish a vulnerability. Confirm the installed version and a specific advisory, then check update compatibility.

Additional technical parameters

Check complete

Indicators found in the page's HTML and HTTP response.

HTML size, bytes	184031
HTTP requests	125
Images	1
Links	91

With alt text	0
No alt text description	1
HTTP	HTTP/2
HTTP/2	Yes
HTTP/3	No
ALPN	h2
TLS version	TLSv1.3
Cipher	TLS_AES_256_GCM_SHA384
OCSP stapling	No
Certificate Transparency	No
Viewport	Yes
Responsive design indicators	Yes
Touch usability indicators	No
Web App Manifest	No
Service Worker	No
Offline mode indicators	No
Web server	Unknown
X-Powered-By	Next.js
Canonical	https://rechecker.ru
Schema.org	No
Breadcrumbs	No
Internal links	87
External links	4
ARIA attributes	19
Semantic HTML	Yes
Contrast	unknown
Keyboard navigation	Yes
Mixed content detected	No
HTTP resources on an HTTPS page	0

Content-Security-Policy

default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval' https://yastatic.net https://mc.yandex.ru https://mc.yandex.com https://yandex.ru https://telegram.org https://t.me; style-src 'self' 'unsafe-inline' https://yastatic.net https://cdnjs.cloudflare.com; img-src 'self' data: https: blob:; font-src 'self' data: https://yastatic.net; connect-src 'self' https: wss: https://telegram.org https://t.me; media-src 'self' blob:; worker-src 'self' blob:; frame-src 'self' https://yastatic.net https://mc.yandex.ru https://mc.yandex.com https://telegram.org https://t.me; object-src 'none'; base-uri 'self'; form-action 'self'

X-XSS-Protection	Not determined
X-Frame-Options	SAMEORIGIN
X-Content-Type-Options	nosniff

Referrer-Policy	strict-origin-when-cross-origin
HSTS max-age	63072000
HSTS includeSubDomains	Yes
HSTS preload	Yes

> The “Missing alt text” counter includes empty alt attributes. Empty alt text (alt="") is acceptable for decorative images and doesn’t need to be filled in.

Social services

Service	Detected
VK	No
Facebook	No
Twitter / X	No
Instagram	No
Telegram	Yes

Payment systems

Service	Detected
YooMoney	No
Sberbank	No
QIWI	No
WebMoney	No

Widgets

Service	Detected
Chat	No
Callback	No
Feedback	No
Live chat	No

Error monitoring

Service	Detected
Sentry	No
Bugsnag	No
Rollbar	No

Additional analytics

Service	Detected
Facebook Pixel	No
VK Pixel	No
Yandex e-commerce	No

Service	Detected
Google e-commerce	No

Web server

A web server receives browser requests and serves pages. A detected clue may identify the application or a proxy rather than the complete hosting configuration.

What to keep in mind

1. Confirm the actual server and configuration in the hosting panel or with the administrator.
2. Use the loading and security findings to investigate those issues. A server name alone is not a reason to replace the hosting.

Analytics

The check looks for analytics code on the page. A detected script does not establish that events arrive, enquiries are recorded correctly or goals are configured.

What to keep in mind

1. If analytics is required, perform a test action and confirm that the corresponding event arrives in your analytics system.
2. When no clue is found, confirm the installation method: code may load after consent or tracking may run on the server.

Payment services

This row shows payment-service clues on the checked page. Their presence does not prove a successful payment, and their absence does not mean the website cannot accept payments.

What to keep in mind

1. If the website accepts payments, inspect checkout and the connected payment-service configuration.
2. Verify payment behavior in the provider’s supported test mode, including confirmation of the order outcome.

Social networks

The check looks for links and visible social-service clues. It does not verify account ownership, activity or every feature.

What to keep in mind

1. Open the detected links and confirm that they lead to the intended accounts.
2. Add social links where visitors actually need that contact channel. Missing social links are not themselves a website defect.

Error monitoring

The check looks for visible application-error reporting tools. Some monitoring runs only on the server, so an absent script does not establish that errors are not monitored.

What to keep in mind

1. Ask the developer where website errors are collected and who receives alerts.
2. If monitoring is configured, confirm that a test message reaches its log without causing an error for real visitors.

Accessibility

Page accessibility

Check complete

Automatic markup checks do not replace a human review of the page.

Score	70
Image descriptions — check passed	No
Image descriptions — With an alt attribute	0

Image descriptions — Missing alt attribute	1
Heading structure — check passed	Yes
Heading structure — H1	1
Heading structure — H2	15
Heading structure — H3	49
Form field labels — saved: Input fields	7
Form field labels — saved: With a label	5
Form field labels — saved: No label	7
Text contrast — check passed	Yes
Text contrast — Findings	0
Keyboard navigation — check passed	Yes
Keyboard navigation — Elements with focus	116
Keyboard navigation — tabindex findings	0
Link texts — check passed	No
Link texts — Total links	91
Link texts — With clear text	90
Link texts — With generic or empty text	1
Semantic markup — check passed	Yes
Semantic markup — Found	footer, main, nav, section
Semantic markup — Not found	article, aside, details, figcaption, figure, header, mark, summary, time, address, blockquote, cite, code
ARIA attributes — check passed	Yes
ARIA attributes — Used	aria-label, aria-hidden, aria-expanded, aria-controls
ARIA attributes — Not found	aria-describedby, aria-current, aria-live, aria-atomic, aria-relevant, aria-busy, aria-pressed, aria-checked, aria-selected, aria-required, aria-invalid

> Form field labels: the saved counts of labeled and unlabeled fields do not match the total. These counters do not confirm the number of errors; the form needs to be checked again.

> Image descriptions: The alt attribute lets screen readers read out a description of an image.

> Heading structure: Headings help users navigate page sections.

> Form field labels: Specify the field name using label, aria-label, or aria-labelledby.

> The saved counts of named and unnamed fields don’t match the total number of fields. These counters don’t confirm the number of errors; the form needs to be checked again.

> Text contrast: The automatic check covers inline styles. It does not assess all colors on the page.

> Keyboard navigation: Check focusable elements and positive tabindex values.

> Link texts: Link text should make it clear where a link leads, including when read by a screen reader.

> Semantic markup: Tags indicate the purpose of sections on a page. The right set depends on its content.

> ARIA attributes: Attributes describe the state and purpose of elements for assistive technologies. Their presence alone doesn't confirm accessibility.

Image descriptions

The automated check flagged images without text descriptions: 1. A screen reader uses alt to convey meaningful image content. Empty alt="" can be correct for a decorative image.

How to fix

1. Distinguish meaningful images from decoration. Describe meaningful content, or the action when an image is a button or link.
2. Keep alt="" for images that only decorate the page and add no information. Check the result with a screen reader.

Form field labels

The saved counts of named and unnamed fields do not agree with the total field count. They cannot establish how many fields need correction.

How to get the result

1. Open the form and inspect each field’s accessible name through label, aria-label or aria-labelledby. Fix only confirmed omissions.
2. Repeat the page check to save consistent results and examples of unnamed fields.

Text contrast

This check only examines colors set directly in HTML. External styles, background images and element states need browser review.

What to keep in mind

1. Measure the flagged text against its actual background with browser tools. Check normal and focused states, and both themes when available.
2. If insufficient contrast is confirmed, adjust the text or background color in the relevant style and check readability again.

Accessibility checks

Field names: data needs verification

The saved accessible-name counts are inconsistent. They do not establish the number of unnamed fields.

How to get the result

1. Inspect field names in the working form and repeat the check. The saved counts cannot be used as a confirmed error total.

Some links have generic or empty text. Their purpose may be unclear when read as a separate list of links.

How to fix

1. Review the saved link examples. Replace “here” or “more” with the action or destination when its purpose is not clear from accessible context.
2. Give icon-only links a meaningful accessible name and check how a screen reader announces it.

Semantic HTML

The automated check lists detected and missing semantic HTML elements. The required set depends on content: a missing article or aside is not itself an error.

What to keep in mind

1. Manually check that main content and navigation use appropriate elements. Change markup where it does not convey the block’s actual purpose.

ARIA attributes

The ARIA inventory shows how elements are described to assistive technology. Not every element needs every attribute; an absent attribute does not establish a defect.

What to keep in mind

1. Review the names, roles and states of the actual interactive elements. Add ARIA only for the behavior that needs it, and test with a keyboard and screen reader.

HTML validation

Result not confirmed

Markup validator messages. Severity depends on the specific violation.

Errors	Not determined
Warnings	Not determined
of information messages	Not determined
Score	Not determined

> The old report mixed HTML errors with code formatting and recommendations. The saved messages or their context are insufficient for an accurate recalculation. Repeat the HTML check: the number of errors and the score are not yet confirmed.

All saved validator messages

Validator message	Type and position
Message: Attribute "charSet" should be lowercase	**Type:** Information · **String:** 1 · **Column:** Not determined · **Rule:** Not determined
Message: Attribute "fetchPriority" should be lowercase	**Type:** Information · **String:** 1 · **Column:** Not determined · **Rule:** Not determined
Message: Attribute "async" should omit value **Occurrences: 11**	**Type:** Information · **String:** 1 · **Column:** Not determined · **Rule:** Not determined

HTML check

The saved result does not establish the HTML error count. Validate the current source again.

How to get the result

1. Open the checked address and confirm it is accessible. Repeat the check; if it fails again, review access restrictions and the reported reason.

Russian laws and public documents

Check	Result and coverage
Preliminary legal risk assessment	No saved data

Generated by reChecker. The results reflect the state of the website at the time of the check.